

Catalogue 2026



O-ring Code	I.D mm	C.S mm	O.D mm	Application Guide
001	0.74	1.02	2.78	
002	1.07	1.27	3.61	
1.15x1	1.15	1	3.15	Suunto Button O-rings D4-D4i
003	1.42	1.52	4.46	Submersible pressure gauge/consoles: internal swivel seal
1.5x1.00	1.50	1	3.5	Beuchat's 2 nd stage O-ring
1.5 x 1.5	1.5	1.5	4.50	
1.70 x 1.00	1.70	1.00	3.70	
606	1.78	1.02	3.82	For 2nd stage apeks
004	1.78	1.78	5.34	Older internal swivel seal models; AT-PAC BC's Power inflator
2.00 x 1.00	1.95	1.00	3.95	
2.2 x 0.8	2.20	0.8	3.80	
2.2 x 1.00	2.20	1.00	4.20	
2.4 x 1.90	2.40	1.90	6.20	
2.5 x 1.00	2.50	1.00	4.50	
2.5 x 2	2.50	2	6.50	
005	2.57	1.78	6.13	Seal used in older depth and tank "stem" gauges
2.40 x 1.90	2.40	1.90	6.20	
2.60 x 1.90	2.6	1.9	6.4	
2.75x1.6	2.75	1.60	5.95	
2.78 x 2.26	2.78	2.26	7.3	
006	2.90	1.78	6.46	Common seal in regulator balance chambers; Power inflator stems; CO2 detonators; SAS gland seal, JJ-CCR ADV Lever
3 x 1	3	1	5	
3 x1.5	3	1.5	6	
3 x 1.8	3	1.8	6.6	
3 x 3	3	3	9	
3.3x1.6	3.3	1.6	6.5	JJ-CCR MAV button spine
007	3.68	1.78	7.24	Regulator piston ring; small HP seal L&W Compressor o-ring
3.8 x 1.5	3.8	1.5	6.80	
4 x 1	4	1	6	JJ-CCR 4mm screw of handle O-ring
106	4.42	2.62	9.66	
4.57x1.02	4.57	1.02	6.61	
008	4.47	1.78	8.03	Sonic regulators; Regulator piston ring; small HP seal
4.75 x 1.70	4.75	1.7	8.15	
5 x 1.5	5	1.5	8	Solenoid tube End O'ring
5.1x 1.6	5.1	1.6	8.3	sunnt

X-Ring	5.16	1.81	8.78	
107	5.23	2.62	10.47	
009	5.28	1.78	8.84	Seal in open-tube depth gauges, Regulator hose: swivel end; Piston barrel HP seal
6 x 1.00	6	1	8	
6x2	6	2	10	
902	6.02	1.63	9.28	
010	6.07	1.78	9.63	Regulator hose: swivel end; Piston barrel HP seal; 2 nd stage orifice seal; Valve stem seals; Early calypso regulators; Power inflator stems.
803	6.35	1.78	9.91	Special Size in between 010 and 011 L.P Hose
6.5x1.3	6.50	1.30	9.10	Inner O-ring hose
610	6.75	1.78	10.31	O-ring-Bull clip LP BCD Hose, JJ-CCR ADV
7 x 1	7.00	1.00	9.00	SF2 rebreather oring
7 x 1.5	7	1.5	10	L&W compressor ORI-002-P
7.1 x 1.6	7.10	1.60	10.3	1156 POS
7 x 2	7	2	11	
7.20 x 1.90	7.20	1.90	11	
7.3 x 2.4	7.3	2.4	12.1	JJ-CCR Banjo Bolt to T-piece O-ring
7.5 x 1.5	7.50	1.50	10.50	Inner O-ring hose
7.6 x 1.9	7.60	1.90	11.4	
109	7.60	2.62	12.84	L&W Compressor o-ring
903	7.65	1.63	10.91	
011	7.65	1.78	11.21	Regulator hose: male end; Regulator port plugs LP; Hose adapters; J-regulators; Early replacement HP seats; Captured HP outlets; Piston HP barrel BC hose coupler.
8x1	8	1	10	HP Valve O-ring for POSEI
8 x 2	8	2	12	JJ-CCR Banjo Bolt O-ring (new version)
8.50 x 1.9	8.5	1.9	12.3	
611	8.73	1.78	12.29	Special Size in between 011 and 012
904	8.92	1.83	12.58	Shearwater HP fitting
9 x 1.5	9	1.5	12	L&W compressor o-ring ORI-004-P
9 x 2	9	2	13	
110	9.19	2.62	14.43	Old double manifolds; Spear guns
012	9.25	1.78	12.81	Console/gauge hoses: male end; Underneath filter; Hose adapters; HP seat seal; LP swivel cap; HP port plugs.
9.5 x 2	9.50	2	13.50	
9.52 x 1.78	9.52	1.78	13.08	JJ-CCR Banjo bolt O-ring (Older version)
9.60 x 1.6	9.60	1.60	12.80	SAS o-ring
9.75x1.78	9.75	1.78	13.31	Special Size in between 012 and 013
613	9.92	2.62	15.16	

10 x 1.5	10	1.5	13	
10 x 2	10.00	2.00	14.00	JJ-CCR Solenoid feed tube O-ring
10 x 2.5	10.00	2.50	15.00	
10.1 x 1.6	10.1	1.60	13.3	
905	10.52	1.83	14.38	
111	10.77	2.62	16.01	Australian/ Nemrod valves; BC inflators; DIN regulator seals.
013	10.82	1.78	14.38	
11 x 2	11	2	15	
11 x 2.5	11	2.5	16	SAS, SG DIN oring
11.1 x 1.6	11.1	1.6	14.3	
11.5 x 2.4	11.5	2.4	16.3	
11.8 x 2.4	11.8	2.4	16.6	JJ-CCR MAV Swivel o-ring
906	11.90	1.98	15.86	
614	11.91	2.62	17.15	Special Size in between 111 and 112-Valve O-rings
12 x 2	12.00	2.00	16.00	O-ring for Beuchat
12 x 2.5	12.00	2.50	17.00	
12.1 x 1.6	12.1	1.60	15.3	
112	12.37	2.62	17.61	Steel tank valve; Basal DIN seal, Shearwater battery plug
014	12.42	1.78	15.98	2 nd stage inlet fittings; J-regulators; Common in aluminium cylinder valve to yoke Regulator.
13.5 x 1.50	13.5	1.50	16.5	SAS oring
113	13.94	2.62	19.18	For M26 –DIN
015	14.00	1.78	17.56	1 st stage inlet fittings; HP seal retainer seal; J valve module; Valve HP stage; plugs; 2 nd barrel and housing plug seals.
14 x 2.00	14	2	18	
15 x 1.5	15.00	1.50	18.00	
15.1 x 1.6	15.1	1.6	18.3	
15 X 4.00	15.00	4.00	23.00	
114	15.54	2.62	20.78	Early piston models; Paintball Guns; re breathers, L&W Compressor o-ring
15.62 X 2.62	15.62	2.62	20.86	
016	15.60	1.78	19.16	Old 1/2" NPS valves; 2 nd stage inlet fittings; Shearwater battey; J-regulators; HP Valve HP plugs; 2 nd stage barrel and housing plug seals; Paintball Guns; M18X1.5 Valves
16 x 2	16	2	20	JJ-CCR HUD Button

16 x 5	16	5	26	Moto nbr
17 X 1.8	17	1.8	20.6	
209	17.04	3.53	24.1	
115	17.12	2.62	22.36	AMF HP module; BC fittings, L&W Compressor o-ring
017	17.17	1.78	20.73	Regulator piston ring and cap; Dacor HP module
18 x 2.50	18.00	2.50	23.00	
18 X 3.00	18.00	3.00	24.00	Used for Puracon air monitoring unit of L&W compressors
116	18.72	2.62	23.96	For M18 x 1.5 Genesis tank valve; BCD Inflator Mechanisms;
018	18.77	1.78	22.33	Regulator piston ring (1970's); 2 nd stage inlet seal; Body plug seal
20 x 2	20	2	24	
211	20.22	3.53	27.28	Early BC fittings
20.29 x 2.62	20.29	2.62	25.53	
019	20.35	1.78	23.91	Heathway / USD / as Sherwood industrial piston regulator
212	21.82	3.53	28.88	Early BC fittings Old MDL Tank valve
020	21.95	1.78	25.51	Regulator piston ring (USD & SAS).
213	23.39	3.53	30.45	Early BC fittings
119	23.47	2.62	28.71	
021	23.52	1.78	27.08	Regulator piston ring
24 x 1.50	24,00	1,50	27,00	Shearwater transmitter body oring
24 x 2.00	24.00	2.00	28.00	
214	24.99	3.53	32.05	M25X2 valve Seals.
24.3x2.40	24.3	2.40	29.10	
120	25.07	2.62	30.31	For re breathers
25 x 2	25	2	29	For transmitters
022	25.12	1.78	28.68	Common regulator piston ring; Body plug seals; Paintball guns.
215	26.58	3.53	33	¾ valve seal Aluminium Cylinder valve seals
023	26.70	1.78	30.26	Regulator LP swivel seal; Body plug seals.
F10 oceanic				O-ring of Oceanic diving watch F10, Atom , Geo, Bud, Aeris Manta, and Epic
28 x2	28	2	32	JJ-CCR Mouthpiece orifice O-ring
28 X 3	28	3	34	
024	28.30	1.78	31.86	Piston cap seals (USD); SAS 1 st stage
29.1 x 1.6	29.10	1.60	32.30	
123	29.82	2.62	35.06	Meg sil
025	29.87	1.78	33.43	Gauge lenses. Suunto Zoop novo
218	31.34	1.78	34.9	Meg sil

026	31.47	1.78	35.03	Suunto C3, Cobra, EON, VIPER, FAVOUR, AIR LUX, Zoop
31.6 x 2.4	31.6	2.40	36.40	For Mares spear guns
32 x 2	32	2	36	JJ-CCR Convuluted hose ends O-rings
32 x 3	32	3	38	
219	32.92	3.53	39.98	
33 x 2	33	2	37	
027	33.05	1.78	36.61	O-rings for APE
028	34.65	1.78	38.21	O-rings for APE
34 x 2	34	2	38	
34 x 3.5	34	3.5	41	Moto nbr
35 x 5	35	5	45	Moto viton
36 x 1.50	36.00	1.50	39.00	
36.07 x 1.78	36.07	1.78	39.63	
36 x 2	36	2	40	JJ-CCR Barrel & Convuluted hose ends O-ring
127	36.17	2.62	41.41	mega
517	36.27	1.78	39.83	
Suunto D9				For Suunto D9
Suunto C1				For Suunto Stinger, C1, Spider
Suunto D4				For Suunto C8 D4
Suunto D6				For Suunto D6, D6i
40 x 3	40	3	46	JJ-CCR T piece to lung connection O-ring
40 x 3.5	40	3.5	47	Moto nbr
223	40.87	3.53	47.9	For Halcyon Flare
42 x 3.50	42	3.50	49.00	
131	42.52	2.62	47.76	
224	44.04	3.53	51.1	Meg vi sil
47 x 3	47	3	53	L&W compressor separator oring
50 x 2	50	2	54	JJ-CCR Delrin lung fitting O-ring
226	50.39	3.53	57.45	For Halcyon Flare
54.6x5.7	54.6	5.7	66	O-ring for KUBI
55 x 5	55	5	65	O-ring for KUBI
60 x 3	60	3	66	
333	62,87	5,33	73,53	o-ring for L&W air filter unit
037	63.22	1.78	66.78	Meg sil
64.2 x 5.7	64.2	5.7	75.6	O-ring for KUBI
65 x 5	65	5	75	O-ring for KUBI
68 x 3	68	3	74	L&W compressor separator oring
69.2 x 5.7	69.2	5.7	80.6	O-ring for KUBI

232	69.44	3.53	76.5	O-ring for KUBI
70x4	70	4	78	O-ring for KUBI
74.2 x 5.7	74.2	5.7	85.6	O-ring for KUBI
619	74.63	5.33	85.26	O-ring for KUBI
75 x 5	75	5	85	O-ring for KUBI
78 x 3	78.00	3.00	84	JJ-CCR Battery box O-ring
235	78.97	3.53	86.03	Meg vi
79.2 x 5.7	79.2	5.7	90.6	O-ring for KUBI
042	82.27	1.78	85.83	Meg sil
82 x 4	82	4	90	O-ring for KUBI
84.2 x 5.7	84.2	5.7	95.6	O-ring for KUBI
86 x 5	86	5	96	Dry suit glove o-ring
105 x 2.5	105	2.5	110	Dry suit glove o-ring
111 x 5	111	5	121	
356	135.9	5.33	146.56	O-rings for Black Tip Divex Scooter
139.23X3.53	139.29	3.53	146.35	JJ-CCR Oring Lid Canister O-ring
140X3	140	3	146	
140X4	140	4	148	JJ-CCR Oring Head to Scrubber connection
141x 2	141	2	145	
359	145.42	5.33	156.08	
644	154.94	5.33	165.6	SF2 o-ring
257	148.82	3.53	155.88	
362	158.12	5.33	168.97	
259	158.34	3.53	165.4	Meg vi
160X3	160	3	166	JJ-CCR Bottom plate canister o-ring
190 x 4	190	4	198	Meg
Actual O-ring Size working mat with 115 different Oring sizes 				

Meet Scubagaskets Scuba gear.

(you will never run out of spare parts or service kits)

SGS2T2 Piston Regulator Set (5port)

The SGS2T2 is a high-performance and fast-response balanced piston design first stage, it's beautifully machined from special grade 316 SS. The SGS2 offers superior corrosion resistance. The HP seat is made of a stable PFA material from Japan, With 316 SS filter for long life, and requires no frequent maintenance, just simple ultrasonic cleaning. It's corrosion-resistant and good finish process inside and out. No burrs fall off, and no sharp edges that can damage the seat and o-rings over time. Low-pressure port swivel assembly for versatile positioning. The SGT2 2nd stage is a downstream balanced adjustable regulator. With Venturi flow and breathing resistance adjustments. The Air shaft is made of 316 SS, Food grade silicone mouthpiece with a reusable mouthpiece clamp.



SGS3T4 Diaphragm Regulator set (5 port)

SGS3-AC Specs 1st stage:

Weight: Yoke 846g Din 764g

High pressure port: (7/16" 20W UNF) x 2

Low pressure port: (3/8" 24W UNF-2B) x 5

Intermediate pressure: 130-145 PSI (9-10 Bar)

Air supply 3364 PSI(232 Bar) for YOKE, 4351 PSI(300bar) for DIN

Material: Marine grade SUS 316 body and components, Stainless steel springs

The SGS3 uses an ultra-dense rubber membrane + heat conduction technology to prevent freezing in waters as low as -4°C.



SGT4 SGT3 Octo 2nd stage specs:

Type: Balanced adjustable second-stage regulator Easy-grip dive/pre-dive switch Nitrox Compatibility

Inhalation effort: 1.2-1.5 CIW (Column inches of Water)

Heat Exchanger for Improved cold-water Performance (Metal Valve)

Spring re-adjustment system

Second stage adjustment knob: Fine-tunes inhalation effort.

Weight: 297g(0.65lb)

Color available: Black / Silver

Main materials: GF Enhanced PA, SUS 316 Metal Valve

Food-grade TPU mouthpiece

Reusable mouthpiece clamp

O-Rings, Parts and Service kits.

Parts and kits for Scubapro			
O-Rings as part number	01.050.108 ,01.050.110, 01.050.117,01.050.126 01.050.132,01.050.136 01.050.138 ,01.050.162 01.050.347, 01.050.363	01.050.160,01.050.347 01.050.293,01.050.428 01.050.164,01.050.177 01.050.147, 1.050.145 01.050.385,01.050.158	01.050.193, 01.050.317 01.050.259 01.050.161 01.050.351
Ser.kits	As kit no: 11.300.045 for: R190/380/290/390/195/295/395/095 	As kit part no: 11.700.045 for A700 	
	As kit part no 21.626.045 for BPI 	As kit part no: 10.750.045 for MK25 	
	As kit 10.117.045 Scuba 1-st Stage MK17/19 	As kit part no : 11.261.045 for G250V 	
	As Kit no 11.254.045 for S600/T-G250/HP-S550/S555-S560-S360-G500-G200B-BAL.ADJ 	As kit no 10.042.045 for MK2Plus 	
	As kit 2 nd stage 11.361.045 C200/300/350/370 	As kit 2 nd stage X650 SG 11.650.045 	
Similar to part no 21.562.106 Schrader Valve 		Washer for Scubapro as part no SG 01.060.217 	
Similar to part no 11.250.221 LP SEAT for Scubapro 		Washer for Scubapro as part no SG 01.060.219 	
Similar to part no 01.028.109 Conical filter 		Nut Jam Metal for Scubapro as part no 11.250.106 	
As part no 01.073.101 Filter retaining clip 		Spring for Scubapro MK18 as part no 01.020.228 	
HP seat Similar to part no 10.102.103 		Front Cover for Scubapro S600 as part no 11.602.036 	
11.500.031 Ret.Clip 		Plastic Jam Nut as part no 11.755.120 	
Similar to part no 01.122.101 Nyloc nut 		Diaphragm for Scuba1st Stage As part no 10.117.107 	
Nylon washer 36x29mm thickness 0.55mm 		Diaphragm for Scuba1st Stage As part no 10.705.119 	
Adjusting Screw for Scubapro S600 as part no 11.600.011 		LP Seat for Scuba 2nd Stage Similar to part no 11.108.101 	
Orifice for Scuba1st Stage As part no 10.101.161 		Orifice for Scuba 2nd stage gear 	

Sleeve for Scuba 1st Stage As part no 10.700.105		Part for Scuba 1st Stage As no 10.700.403	
Washer for 1 st Stage as part no 01.060.607		Nylon washer as Scuba part no 01.060.220	

Parts and kits for Beuchat			
O-Rings 	8319,7924,7051,7076,7930,7907,9098,9100,223009,7049,7044,45004,7025,205048,225069,7046,6225	Service kit for Beuchat 1st stage 16541 for V2,V3,V30, VFIRST	
	Service kit for All Beuchat 2nd stage Except VS/Octo VS	Service kit for Beuchat 1st stage 16543 FOR:V8,V80,V10, V100	
	Service kit for 2nd stage 16509 VS/Octo VS	Service kit for 1st stage V10/ENTRIER/EVO V10/YOKE/EVO as kit no 16513	
	Service kit for 1st stage V4 + V40 kit no SG16504		As Part no: 8155 
	Service kit for 1st stage V2-V3-V30 VFIRST. Ref: 16541		
Parts and kits for APEKS			
Similar to part no AP1472 Conical Filter		As kit no: AP0219 2nd stages	
O-Rings Similar to part no AP1438, AP1166, AP1159, AP1267, AP1154, AP1298, AP1300, AP1299, AP1409, AP1159, AP2041 AP1410, AP1445,AP1410, AP5711, AP7502, AP1299		Similar to part no AP1482 Environmental seal	
As AP0241 Viton® 1st stages for pure Oxygen		Similar to part no AP1478 Diaphragm	
Similar to part no AP0219 Viton® 2nd stages for pure Oxygen		Similar to part no AP2034 LP Seat	
As kit no: AP0241 1st stages		Similar to part no AP1419 HP Seat	
Orifice for APEKS 2nd stage as part no AP2033		Spare part for APEKS 2nd Stage part number: AP6309	

Spare part for APEKS scuba gear as part number: AP1151		Spare part for APEKS scuba gear as part number: AP2029- Aluminium	
Poppet 2nd stage for APEKS as AP2036		Blanking piece for Apeks as part AP6211	
Counter Balance Cylinder for APEKS as part no AP 2038		White plastic Air filter Apeks 1st Stage as part no AP 1406	
Diaphragm for APEKS 2nd Stage as part no AP 5803		Stem for APEKS Scuba Tank Valves as part no AP 8022	
Locking Slide Ring for Apeks Flight as part no 7595		Demand Lever for APEKS 2nd stage as part no AP 2035 for AT- ATX – CTX – XTX	
DIN connector Wheel for APEKS as part no AP 1470		DIN connector stem 300 Bar for APEKS as part no AP 1471	
Spare part for APEKS as part number: AP5721		Spare part for APEKS scuba gear as part number: AP5830	
Cover Cup for Flight Apeks as part no AP 5714		Spare part box for Apeks	
Parts and kits for Aqualung			
	Service kit for AQUA1 st Titan, Mikron, Titan LX Core, No. SG128016		Silicon Diaphragm as part no SG127579
	Service kit for Aqualung 2nd Stages Mikron, Titan, Core, Legend, Glacia as kit No. SG128019		Silicon Diaphragm as part no 129126
	Service kit for Aqua 1 st Legend, Glacia No. SG128017 .		Nylon washer as part no 119143
	Service kit AQUA2 nd Stage For Calypso & Titan No. SG128018		Nylon washer as part no 127568
	Diaphragm 1st Stage as part no 119159		Second stage seat for Aqua Lung-2nd Stage as SG116611 .
	Conical filter as part no: SG129151		As oring numbers 73056,124707,124703,124612,444243,124702,473056,213716,24609,121130,124708,119129,124701,124709
	Disc Air filter as part no 113616		LP Seat as part no 129638
	Inflator Valve core for AquaLung Powerline as part no 15504		Spare part box for Aqualung

	H.P Valve seat for Calypso SG 116126 1st Stage		H.P Sat as part no 124624
Parts for POSEIDON			
	Service kit for 2 nd as kit no: 3549 Jetstream		Service kit for Poseidon 1st Stage 2801,2808 as kit no 3881
	SG Service kit for Poseidon 1st Stage 3257,2962 as kit no 3891		SG Viton Service kit for 2nd Stage Jet Stream as kit no 0009-011
	Servo Valve Pin for gear 2nd stage as part no 2785		Service part for 1st stage as part number 2302
	Cup type filter for 1st Stage as part no: 1377		Valve sealing safety for gear as part number 3726
	Cup type filter for 1st Stage (Long) as part no: 4552		Roll Diaphragm for Xstream gear as part no 4564
	Seat for Xstream gear as part no 4758		O-Rings for gear
			Parts for POSEI gear 
Parts for REBREATHERS JJ-CCR, SF2, Meg			
	O-ring Service kit for DSV JJ-CCR		O-ring Service kit for SF2
	Service kit for JJ-CCR rebreather		O-ring service kit for Meg Rebreather
Parts for DIVE RITE			

	Service kit for Dive Rite XT RG5100 -RG5800		Service kit for Dive Rite 2nd stages XT
	<u>Parts for CRESSI SUB</u>		

	Service kit for AC10 INT 1st Stage HZ735050		LP-Seat for Cressi 2nd Stage
	Service kit for AC2 1st Stage HZ730149		Service kit for Master/ELL 2nd Stage HZ820080
	Service kit for Ellipse 2nd Stage HZ810067		Service kit for AC10 DIN 300 1st Stage HZ735052
	Service kit for Cressi Scuba Tanks GZ710515		Service kit for Cressi Sub AC25M INT/DIN 1st Stage HZ850017
	Service kit for Cressi Sub MC9-MC9 SC 1st Stage HZ800047		Service kit for Cressi T10 S.C -CROMO 1st Stage HZ800045
	Service kit for Cressi XS compact Pro 2nd Stage HZ780060		

Parts for MARES

O-Rings 	46110106, 46110107, 46110208, 46110101, 46200559, 46110205, 46110110, 46110211, 46110225, 46110201, 46110220, 46110245, 46110206, 46110228		Air filter suitable for Mares 1st Stage as part no 46186202
	Service kit for 1st Mares as kit no 46200606 DIN 1st 2K5 MR32/MR22/16/TP/D16		Diaphragm for MARES Abyss and AQUA1st Stage as 119159
	HP Seat for Mares		Poppet Seat for MARES-MR22 1st Stage as part no: 46186216
	Orifice for Mares		Service kit for Mares Speargun Cyrano kit no 43164290
	Nyloc Nut for 2nd stage for Mares		Air filter suitable for Mares 1st Stage as 46200561
	Diaphragm for MARES 1st Stage As part no 46185022, 46201111, 46201667, 46201476		Disc Air filter for Mares 1st Stage as part no 46185014
	Back-Up Ring for Aqualung and Mares 1st Stage		H.P Piston Seat for Mares 1st stage as part no 46201247

Parts for SUUNTO

	Sensor for Old Zoop		Sensor for D6-D6i
---	---------------------	---	-------------------

	Sensor for Zoop Novo 		Sensor for D4-D4i 
	O-Ring service Kit for Suunto quick disconnect 		O-Ring service Kit for Suunto Transmitter 
	Parts for SCUBATEC - SEAC SUB		
	Service kit for 1st Stages R2 Ice/R2 Ice /R2 Tec		Seac Sub service kit 2nd stage kit no: 8422
	kit for Seac Sub Sorius Octo/1000 2nd stage as kit no: S78003		Orifice for Seac Sub 2nd stage

	Seac Sub service kit 1st stage P-Synchro /X-5 P INT Kit no: 8412		kit for Seac Sub 2nd stage P-Synchro /MX100/DX100 kit no: 8422
---	---	---	---

Parts for Zeagle - Atomic - Halcyon			
--	--	--	--

	O-Ring Service Kit Atomic Cobalt Quick Disconnect		Conical filter for Zeagle
---	---	---	----------------------------------

	O-Ring service kit for Halcyon Flare		Service kit for Sherwood BCD Power Inflator
---	--------------------------------------	---	---

	ACCESSORIES		Viton® BCD Power Inflator service ORing Kit
--	--------------------	---	---

	Silicone Protective sleeve for Scuba Gear Mouthpiece Diving Regulators		
---	--	--	--

	Bronze Protective Dust cup for DIN		Protective Dust cup for DIN
---	------------------------------------	---	-----------------------------

	Rope Cutting safety Knife - 3DC 7000		Mouth piece - MPL-1330
	Double Hook - DH100-2590 90mm-100mm-115mm		Single Hook with swivel-DSH105-25600 70mm,80mm,90mm,100mm, 105mm,115mm
	Flexible Snorkelling pipe -SNF-8000		Scuba Tank DIN adaptor- STA-DIN22500
	Scuba Tank YOKE adaptor- STA-DIN22500		Swivel 2nd Stage Adaptor 110° SW110D16800
			Swivel 2nd Stage Adaptor 90° SW90D16000

ScubaGaskets Service Tools


2nd Stage Cover Tool Opener for Scubapro & Tusa gear		Universal DIN retainer tool		Aqualung legend HP seat installation-removal tool	
Bushing tool For Aqualung		BCD Power Inflator Tool		Mares combined HP seat removal – installation tool	
AQUA HP valve seat installationremoval tool		Dry Suit Valve opener for APEKS / SANTI valves		Cover tool for APEKS AT, T, TX and ATX	
ScubaMK20, MK21, MK25 bushing tool		Scuba Tool Spanner 1st Stage Cup Opener 35mm		Scubapro DIN retaining knob O-ring installation bullet tool	
Universal Heavy Duty First Stage Holder		Dry Suit Valve opener for SITECH Valves		Internal O-ring scuba tool set for Scubapro MK10	
Universal HP and LP O-ring installation bullet tool set		Bull clip O-ring installation tool of		Slotted Orifice seat extraction tool for 2nd stage Scuba Gear	

Ball end Oring pick Tool		LP BCD hose.		Universal Orifice seat extraction tool			
Cover tool for Apeks XTX		Internal O-ring tool set for MK5, MK6, MK10					
Aqualung		Multy tool for	Tool for Scubapro filter star clip retainer installation		Case recovery tool for Scuba R series		
Scuba Tank Valve External Thread NO – GO Tool M25 x 2 tol 6g (for scuba tank thread test)		Tool		Multi-for	Scuba Tank Valve External Thread GO Tool M25X2 tol 6g (for Tank valve thread test)		
External Thread Valve GO Tool G5/8x14 tpi tol A (for DIN Regulators)		Scuba Gear key ring					
		Scuba Tank Thread Valve GO – No – GO Tool M25 x 2 H6					
		External Thread Valve NO-GO Tool G5/8 x14 tpi tol A (for DIN Regulators)					
Scuba tool for Mares lever valve & poppet assembly						DIN Tank valve Internal Thread Go-No – Go Tool G5/8 x 14 tpi	
Scuba Tool for Balanced 2nd Stage Poppet Installation		POM Magnetic jaws for Vice				Scuba Tank Thread Valve GO – No – GO Tool G3/4 x 14 BSP (for scuba tank 3/4 thread test)	
						Universal HP swivel O-ring	
						installation assist tool set	

Heavy Duty Scuba Tank Valve Removal Tool  HP Scuba Polishing tool AT73 	Environmental cap tool opener for Cressi first tages(MC7,MC9)  In line adjusting tool Hexagonal-slotted 	Bullet O-ring Installation Tool for LP Female Hose End  Scuba tool for Mares HP high pressure seat 12S, MR42, MR52  Bullet O-ring piston tool 
	Hexagonal tool set 	

Scuba Hoses - Tank Valves & Parts

Scuba Tank Valve Knobs 	Seats for Scubapro Scuba Tank Valves BSP BSTP 1/4 Pitch size 19G Whitworth 55° Total length: 15.80mm Seat length without ear: 10.90mm Seat Diameter: Φ 12.85mm 	Seats for FASER Scuba Tank Valves BSPT 1/8 Total Length: 14 mm Seat Diameter: 9.3mm Head Diameter 6.6 mm 
Seats for US Scuba Tank Valves Total Length: 17.40mm Seat Length without ear: 11mm Seat Diameter: Φ 12.6mm 	Seats for Scuba Tank Valves Type D Pitch size 26G Whitworth 55° Total Length: 15.50mm Seat Diameter: Φ 9.85mm 	Seats for Scubatec Scuba Tank Valves Type B-Nylon 66 Pitch size 26G Whitworth 55° Total length: 17.89mm Seat length without ear: 11.90mm Seat Diameter: Φ 12.85mm 
Seats for Scuba Coltri Tank Valves Type A-Nylon 66 Pitch size 19G Whitworth 55° Total Length: 15.90mm Seat Length without ear: 10.88mm Seat Diameter: Φ 12.97mm 	Seats for SOS-Mares Scuba Tank Valves Type C Pitch size 20G Whitworth 55° Total Length: 18.80mm Seat Length without ear: 11.75mm Seat Diameter: Φ 11.97mm 	
Service Kits for Scuba Tank Valves M 25 Type B. 	Service kits for Scuba Tank Valves M 25 Type C 	Handwheel Nylon Washer for scuba tank valves 
Flexible Regulator Hose 76cm30" for Apeks & Mares 1/2" thread 		Nut for scuba tank valves Hand wheels 3/16" 
Split Teflon Washer for M 25 x 2 valves $\varnothing$ 7.8mm x $\varnothing$ 10.9mm thickness 1.4mm 	Stem for M25 x 2 valves Stainless steel Total length 35mm Head diameter: Φ 11mm Head height: 10mm Used For M 25 x 2 Valves 	Teflon washer for M 25 x 2 valves 
SPG swivels 		Viton® O-ring Kit for Tank Valves Pure Oxygen 
Oxygen Regulator Hoses 76-102-152- 213cm 	Teflon washer for AP valves 	Yoke to Din inserts for scuba tank Valves 

 BCD Power Inflator K-style	Stem for Aqualung tank Valves as part 213082 	H.P. Swivel Spool with O-Rings for SPG 
Viton® BC Power Inflator service O-Ring Kit 	Service Kits for AP Diving Scuba Tank Valves 	
Service kit for tank Valves M 25 Type B 	Service kit for tank Valves M 25 Type A 	
Scuba Bonnet Nut O-Ring NBR-70Sh-20 x 2 	H.P. Swivel Spool with Viton O-Rings for SPG Pure oxygen 	O-ring service Kit for Tank Valves 
Safety Valve for First Stage Automatic ARGON ML / SBT 		

Accessories and Parts for Scuba Compressors

Bronze Adaptor with Nut for Oxygen Storage Tanks S6-Scuba Dive Applications 		Bronze Air Manifold 9 Port with 1/4" inlet-outlet ports 	
Discharge Valve Scuba Compressors Bauer-Paramina-POSEI-Coltri 		Exhaust -Valve of Scuba Compressors BauerParamina-POSEI-Coltri 	
Filling end Anti Whip 200bar- M16 x 1.5S8 		Filling end Anti Whip 300bar- L10 	
Adaptor Bauer triplex filter to Paramina Purifier 1 		Bronze Adaptor for connecting Storage Tanks G5/8" Male 	
Flange Converter for Bauer Filter Housing 1/4" thread 		Scuba International DIN Adaptor G 5/8 to M26 tank valves outlet 	

Non Return valve for HP Air highpressure applications 1/4" inlet-outlet			
Scuba Compressor Safety Valve Series 420 Bar-1/4"	<td>Scuba Compressor Safety Valve Series 270 Bar-1/4"</td> <td></td>	Scuba Compressor Safety Valve Series 270 Bar-1/4"	
Service kit for Compressors separators		Service kit for Scuba Compressor Safety Valve series 270-420Bar	
Black Handle-Lever of Scuba Filling Valves 200bar		O-Ring For Compressor Discharge Valve 2nd Stage. Coldri, Bauer, Paramina,POSEI.	
Nut for O2 Storage Tank Valve		Copper washer for Compressor Discharge Valve 2nd Stage. Coldri, Bauer, Paramina,POSEI.	
Stainless Steel ON-OFF Valve for H.P. Scuba Applications		Metal Tightening Knob for Scuba Filling Stations – DIN 200 bar	
Red Handle-Lever of Scuba Filling Valves 300bar		Scuba International Adaptor 232bar	

Lubricants for Scuba Applications

- For Oxygen application 28gr



- Food Grade Silicon Grease for air scuba applications 40gr
- Food Grade Silicon Grease for air scuba applications 40g with PTFE



Scuba O-ring Collections

EPDM Sh70 Service kit 100 O -Rings

10 each of each size

008.010.011.012.013.014.017.022.109.111



Viton ® FKM Sh 75 & 90 Service kit 120 O-Rings

10 each of each size

003.007.009.010.011.012.013.014.015.111.112.214.



NBR Sh 90 Service kit 100 O -Rings

10 each of each size

003.009.010.011.012.014.110.111.112.21



NBR Sh 70 Service kit No.1 100 O -Rings

10 each of each size

003.004.005.006.007.008.009.010.011.012



NBR Sh 70 Service kit No.2 100 O -Rings

10 each of each size

013.014.015.016.017.018.019.020.021.022



NBR Sh 70 Service kit No.3 100 O-Rings

10 each of each size

2.20 x 1.00.RO.902.903.905.906.106.107.610.1.95 x 1.00



NBR Sh 70 Service kit No.4 100 O -Rings

10 each of each size

023.024.025.110.111.113.116.212.214.215.

